

# Credits

Chromium software is made available as source code here.

2-dim General Purpose FFT (Fast Fourier/Cosine/Sine Transform) Package	homepage
@puppeteer/replay	homepage
Abseil	homepage
Abseil	homepage
abseil	homepage
Accessibility Audit library, from Accessibility Developer Tools	homepage
Acorn, a tiny, fast JavaScript parser written in JavaScript.	homepage
Activity	homepage
Activity Compose	homepage
Activity Kotlin Extensions	homepage
Alliance for Open Media Video Codec	homepage
Almost Native Graphics Layer Engine	homepage
Android	homepage
Android Arch-Common	homepage
Android Arch-Runtime	homepage

<b>Android Explicit Synchronization</b>	<a href="#">homepage</a>
<b>Android Graphics Path</b>	<a href="#">homepage</a>
<b>Android Lifecycle LiveData</b>	<a href="#">homepage</a>
<b>Android Lifecycle LiveData Core</b>	<a href="#">homepage</a>
<b>Android Lifecycle Runtime</b>	<a href="#">homepage</a>
<b>Android Lifecycle ViewModel</b>	<a href="#">homepage</a>
<b>Android Lifecycle-Common</b>	<a href="#">homepage</a>
<b>Android Multi-Dex Library</b>	<a href="#">homepage</a>
<b>Android NDK</b>	<a href="#">homepage</a>
<b>Android NDK</b>	<a href="#">homepage</a>
<b>Android Open Source Project - App Compat Library</b>	<a href="#">homepage</a>
<b>Android SDK</b>	<a href="#">homepage</a>
<b>Android SDK</b>	<a href="#">homepage</a>
<b>Android Support Library Annotations</b>	<a href="#">homepage</a>
<b>Android Support Library Async Layout Inflater</b>	<a href="#">homepage</a>
<b>Android Support Library collections</b>	<a href="#">homepage</a>
<b>Android Support Library compat</b>	<a href="#">homepage</a>

<b>Android Support Library Coordinator Layout</b>	<a href="#">homepage</a>
<b>Android Support Library core UI</b>	<a href="#">homepage</a>
<b>Android Support Library core utils</b>	<a href="#">homepage</a>
<b>Android Support Library Cursor Adapter</b>	<a href="#">homepage</a>
<b>Android Support Library Custom View</b>	<a href="#">homepage</a>
<b>Android Support Library Document File</b>	<a href="#">homepage</a>
<b>Android Support Library Drawer Layout</b>	<a href="#">homepage</a>
<b>Android Support Library Interpolators</b>	<a href="#">homepage</a>
<b>Android Support Library loader</b>	<a href="#">homepage</a>
<b>Android Support Library Local Broadcast Manager</b>	<a href="#">homepage</a>
<b>Android Support Library Print</b>	<a href="#">homepage</a>
<b>Android Support Library Sliding Pane Layout</b>	<a href="#">homepage</a>
<b>Android Support Library v4</b>	<a href="#">homepage</a>
<b>Android Support Library View Pager</b>	<a href="#">homepage</a>
<b>Android System SDK</b>	<a href="#">homepage</a>
<b>android-jni-wrappers</b>	<a href="#">homepage</a>
<b>androidx.privacysandbox.ads:ads-adservices-java</b>	<a href="#">homepage</a>

<b>Animal Sniffer</b>	<a href="#">homepage</a>
<b>Animal Sniffer Annotations</b>	<a href="#">homepage</a>
<b>AnimatedVectorDrawable</b>	<a href="#">homepage</a>
<b>Animation</b>	<a href="#">homepage</a>
<b>Annotation</b>	<a href="#">homepage</a>
<b>Anonymous Tokens</b>	<a href="#">homepage</a>
<b>AOSP rastermill</b>	<a href="#">homepage</a>
<b>apiclient</b>	<a href="#">homepage</a>
<b>AppCompat</b>	<a href="#">homepage</a>
<b>AppCompat Resources</b>	<a href="#">homepage</a>
<b>AppSearch</b>	<a href="#">homepage</a>
<b>AppSearch Platform Storage</b>	<a href="#">homepage</a>
<b>Arch-Common</b>	<a href="#">homepage</a>
<b>Arch-Runtime</b>	<a href="#">homepage</a>
<b>ARCore SDK</b>	<a href="#">homepage</a>
<b>ARCore SDK client library for Chrome</b>	<a href="#">homepage</a>
<b>ARM_NEON_2_x86_SSE</b>	<a href="#">homepage</a>

<b>AsyncLayoutInflater</b>	<a href="#">homepage</a>
<b>AsyncLayoutInflater AppCompatActivity</b>	<a href="#">homepage</a>
<b>atomicfu</b>	<a href="#">homepage</a>
<b>Autofill</b>	<a href="#">homepage</a>
<b>AutoService</b>	<a href="#">homepage</a>
<b>AXE-CORE Accessibility Audit</b>	<a href="#">homepage</a>
<b>Better together core components</b>	<a href="#">homepage</a>
<b>Biometric</b>	<a href="#">homepage</a>
<b>Blackmagic DeckLink SDK - Mac</b>	<a href="#">homepage</a>
<b>blink HTMLTokenizer</b>	<a href="#">homepage</a>
<b>BoringSSL</b>	<a href="#">homepage</a>
<b>BoringSSL</b>	<a href="#">homepage</a>
<b>Braille Translation Library</b>	<a href="#">homepage</a>
<b>Brotli</b>	<a href="#">homepage</a>
<b>Browser</b>	<a href="#">homepage</a>
<b>BSDiff</b>	<a href="#">homepage</a>
<b>bsdiff</b>	<a href="#">homepage</a>

<b>bspatch</b>	<a href="#">homepage</a>
<b>C++ port of zxcvbn, an advanced password strength estimation library.</b>	<a href="#">homepage</a>
<b>C++ Signal/Slot Library</b>	<a href="#">homepage</a>
<b>cachetools</b>	<a href="#">homepage</a>
<b>Cardboard SDK</b>	<a href="#">homepage</a>
<b>CardView</b>	<a href="#">homepage</a>
<b>CastCore Publics</b>	<a href="#">homepage</a>
<b>Checked in build outputs generated on Windows.</b>	<a href="#">homepage</a>
<b>Checker Framework Annotations</b>	<a href="#">homepage</a>
<b>Checker Qual</b>	<a href="#">homepage</a>
<b>Checker Qual</b>	<a href="#">homepage</a>
<b>Checker Util</b>	<a href="#">homepage</a>
<b>Chrome d8 for executing javascript</b>	<a href="#">homepage</a>
<b>ChromeOS Components</b>	<a href="#">homepage</a>
<b>ChromeVox</b>	<a href="#">homepage</a>
<b>Chromium OS system API</b>	<a href="#">homepage</a>
<b>ChromiumUpdater</b>	<a href="#">homepage</a>

<b>CityHash</b>	<a href="#">homepage</a>
<b>Closure Library</b>	<a href="#">homepage</a>
<b>Closure Library</b>	<a href="#">homepage</a>
<b>CodeMirror 5</b>	<a href="#">homepage</a>
<b>CodeMirror 6</b>	<a href="#">homepage</a>
<b>collections</b>	<a href="#">homepage</a>
<b>Collections Kotlin Extensions</b>	<a href="#">homepage</a>
<b>Compact Encoding Detection</b>	<a href="#">homepage</a>
<b>Compact Language Detector v3</b>	<a href="#">homepage</a>
<b>Compose Animation</b>	<a href="#">homepage</a>
<b>Compose Animation Core</b>	<a href="#">homepage</a>
<b>Compose Foundation</b>	<a href="#">homepage</a>
<b>Compose Geometry</b>	<a href="#">homepage</a>
<b>Compose Google Fonts integration</b>	<a href="#">homepage</a>
<b>Compose Graphics</b>	<a href="#">homepage</a>
<b>Compose Layouts</b>	<a href="#">homepage</a>
<b>Compose Material Ripple</b>	<a href="#">homepage</a>

<b>Compose Material3 Components</b>	<a href="#">homepage</a>
<b>Compose Runtime</b>	<a href="#">homepage</a>
<b>Compose Saveable</b>	<a href="#">homepage</a>
<b>Compose UI</b>	<a href="#">homepage</a>
<b>Compose UI Text</b>	<a href="#">homepage</a>
<b>Compose Unit</b>	<a href="#">homepage</a>
<b>Compose Util</b>	<a href="#">homepage</a>
<b>ConstraintLayout</b>	<a href="#">homepage</a>
<b>ConstraintLayout Core</b>	<a href="#">homepage</a>
<b>Coordinator Layout</b>	<a href="#">homepage</a>
<b>Core</b>	<a href="#">homepage</a>
<b>Core Kotlin Extensions</b>	<a href="#">homepage</a>
<b>Core ML Tools</b>	<a href="#">homepage</a>
<b>core-common</b>	<a href="#">homepage</a>
<b>coverage.py</b>	<a href="#">homepage</a>
<b>cpu_features</b>	<a href="#">homepage</a>
<b>cpuinfo</b>	<a href="#">homepage</a>



<b>CrabbyAvif - Library for decoding AVIF files.</b>	<a href="#">homepage</a>
<b>Crashpad</b>	<a href="#">homepage</a>
<b>CRC32C</b>	<a href="#">homepage</a>
<b>CSP Evaluator Core Library, a tool that allows developers to check if a Content Security Policy (CSP) serves as mitigation against XSS attacks</b>	<a href="#">homepage</a>
<b>Cursor Adapter</b>	<a href="#">homepage</a>
<b>Custom View</b>	<a href="#">homepage</a>
<b>CustomView Pooling Container</b>	<a href="#">homepage</a>
<b>d3</b>	<a href="#">homepage</a>
<b>Dagger</b>	<a href="#">homepage</a>
<b>Darwin</b>	<a href="#">homepage</a>
<b>dav1d is an AV1 decoder :)</b>	<a href="#">homepage</a>
<b>Dawn</b>	<a href="#">homepage</a>
<b>Devtools-Frontend</b>	<a href="#">homepage</a>
<b>divsufsort</b>	<a href="#">homepage</a>
<b>djinni</b>	<a href="#">homepage</a>
<b>Document File</b>	<a href="#">homepage</a>

<b>dom-distiller-js</b>	<a href="#">homepage</a>
<b>Drawer Layout</b>	<a href="#">homepage</a>
<b>DynamicAnimation</b>	<a href="#">homepage</a>
<b>EasyList</b>	<a href="#">homepage</a>
<b>Eigen</b>	<a href="#">homepage</a>
<b>Eigen</b>	<a href="#">homepage</a>
<b>Emoji</b>	<a href="#">homepage</a>
<b>Emoji Segmenter</b>	<a href="#">homepage</a>
<b>emoji-metadata</b>	<a href="#">homepage</a>
<b>Emoji2</b>	<a href="#">homepage</a>
<b>Emoji2 Views Helper</b>	<a href="#">homepage</a>
<b>Error Prone</b>	<a href="#">homepage</a>
<b>error-prone annotations</b>	<a href="#">homepage</a>
<b>etc1</b>	<a href="#">homepage</a>
<b>ExifInterface</b>	<a href="#">homepage</a>
<b>Expat XML Parser</b>	<a href="#">homepage</a>
<b>Experimental annotation</b>	<a href="#">homepage</a>

<b>FarmHash</b>	<a href="#">homepage</a>
<b>fast_float</b>	<a href="#">homepage</a>
<b>feature-delivery</b>	<a href="#">homepage</a>
<b>ffmpeg</b>	<a href="#">homepage</a>
<b>Fiat-Crypto: Synthesizing Correct-by-Construction Code for Cryptographic Primitives</b>	<a href="#">homepage</a>
<b>FidelityFX Single Pass Downsampler</b>	<a href="#">homepage</a>
<b>FindBugs-jsr305</b>	<a href="#">homepage</a>
<b>firebase-annotations</b>	<a href="#">homepage</a>
<b>firebase-common</b>	<a href="#">homepage</a>
<b>firebase-components</b>	<a href="#">homepage</a>
<b>firebase-encoders</b>	<a href="#">homepage</a>
<b>firebase-encoders-json</b>	<a href="#">homepage</a>
<b>firebase-iid</b>	<a href="#">homepage</a>
<b>firebase-iid-interop</b>	<a href="#">homepage</a>
<b>firebase-installations</b>	<a href="#">homepage</a>
<b>firebase-installations-interop</b>	<a href="#">homepage</a>
<b>firebase-measurement-connector</b>	<a href="#">homepage</a>

<b>firebase-messaging</b>	<a href="#">homepage</a>
<b>flac</b>	<a href="#">homepage</a>
<b>FlatBuffers</b>	<a href="#">homepage</a>
<b>FlatBuffers</b>	<a href="#">homepage</a>
<b>FlatBuffers</b>	<a href="#">homepage</a>
<b>Flogger</b>	<a href="#">homepage</a>
<b>Flot</b>	<a href="#">homepage</a>
<b>fontconfig</b>	<a href="#">homepage</a>
<b>FP16</b>	<a href="#">homepage</a>
<b>fragment</b>	<a href="#">homepage</a>
<b>Fragment Kotlin Extensions</b>	<a href="#">homepage</a>
<b>FreeType</b>	<a href="#">homepage</a>
<b>FreeType</b>	<a href="#">homepage</a>
<b>Fuchsia GN SDK</b>	<a href="#">homepage</a>
<b>Fuse.js</b>	<a href="#">homepage</a>
<b>Futures</b>	<a href="#">homepage</a>
<b>FXDiv</b>	<a href="#">homepage</a>

<b>gemmlowp</b>	<a href="#">homepage</a>
<b>General Purpose FFT (Fast Fourier/Cosine/Sine Transform) Package</b>	<a href="#">homepage</a>
<b>getopt</b>	<a href="#">homepage</a>
<b>GifPlayer Animated GIF Library</b>	<a href="#">homepage</a>
<b>Glide</b>	<a href="#">homepage</a>
<b>Google Android Annotations Library</b>	<a href="#">homepage</a>
<b>Google Auto</b>	<a href="#">homepage</a>
<b>Google Chrome Content Analysis Connector Agent SDK</b>	<a href="#">homepage</a>
<b>Google Closure Library</b>	<a href="#">homepage</a>
<b>Google Cloud Storage Client Library</b>	<a href="#">homepage</a>
<b>Google Double Conversion</b>	<a href="#">homepage</a>
<b>Google Input Tools</b>	<a href="#">homepage</a>
<b>Google Toolbox for Mac</b>	<a href="#">homepage</a>
<b>Google Trust Services Recommended Roots</b>	<a href="#">homepage</a>
<b>google-auth</b>	<a href="#">homepage</a>
<b>google-glog's symbolization library</b>	<a href="#">homepage</a>
<b>google-jstemplate</b>	<a href="#">homepage</a>

<b>Granite</b>	<a href="#">homepage</a>
<b>Graphics Shapes</b>	<a href="#">homepage</a>
<b>Grid Layout</b>	<a href="#">homepage</a>
<b>grpc</b>	<a href="#">homepage</a>
<b>gRPC Java</b>	<a href="#">homepage</a>
<b>GSF</b>	<a href="#">homepage</a>
<b>Gson</b>	<a href="#">homepage</a>
<b>gsutil</b>	<a href="#">homepage</a>
<b>gtk</b>	<a href="#">homepage</a>
<b>Guava InternalFutureFailureAccess and InternalFutures</b>	<a href="#">homepage</a>
<b>Guava JDK5</b>	<a href="#">homepage</a>
<b>Guava JDK7</b>	<a href="#">homepage</a>
<b>Guava: Google Core Libraries for Java</b>	<a href="#">homepage</a>
<b>GWT JSInterop Annotations</b>	<a href="#">homepage</a>
<b>harfbuzz-ng</b>	<a href="#">homepage</a>
<b>Headers for DirectX APIs.</b>	<a href="#">homepage</a>
<b>Headers for the Windows 10 WebAuthn API (webauthn.dll)</b>	<a href="#">homepage</a>

<b>Highway: C++ library for SIMD</b>	<a href="#">homepage</a>
<b>html5lib-python</b>	<a href="#">homepage</a>
<b>httplib2</b>	<a href="#">homepage</a>
<b>hunspell</b>	<a href="#">homepage</a>
<b>hunspell dictionaries</b>	<a href="#">homepage</a>
<b>hyphenation-patterns</b>	<a href="#">homepage</a>
<b>IAccessible2 COM interfaces for accessibility</b>	<a href="#">homepage</a>
<b>iccjpeg</b>	<a href="#">homepage</a>
<b>icu</b>	<a href="#">homepage</a>
<b>ICU4C</b>	<a href="#">homepage</a>
<b>ijson</b>	<a href="#">homepage</a>
<b>immer</b>	<a href="#">homepage</a>
<b>Implementation of WebDriver BiDi standard</b>	<a href="#">homepage</a>
<b>inspector protocol</b>	<a href="#">homepage</a>
<b>International Phone Number Library</b>	<a href="#">homepage</a>
<b>Interpolators</b>	<a href="#">homepage</a>
<b>intl-messageformat</b>	<a href="#">homepage</a>

<b>io.grpc:grpc-api</b>	<a href="#">homepage</a>
<b>io.grpc:grpc-binder</b>	<a href="#">homepage</a>
<b>io.grpc:grpc-context</b>	<a href="#">homepage</a>
<b>io.grpc:grpc-core</b>	<a href="#">homepage</a>
<b>io.grpc:grpc-protobuf-lite</b>	<a href="#">homepage</a>
<b>io.grpc:grpc-stub</b>	<a href="#">homepage</a>
<b>ipcz</b>	<a href="#">homepage</a>
<b>ISimpleDOM COM interfaces for accessibility</b>	<a href="#">homepage</a>
<b>J2ObjC</b>	<a href="#">homepage</a>
<b>J2ObjC Annotations</b>	<a href="#">homepage</a>
<b>javax.inject</b>	<a href="#">homepage</a>
<b>JNI Zero</b>	<a href="#">homepage</a>
<b>JNIPP</b>	<a href="#">homepage</a>
<b>jpeg-js</b>	<a href="#">homepage</a>
<b>JsInterop Annotations</b>	<a href="#">homepage</a>
<b>jsoncpp</b>	<a href="#">homepage</a>
<b>JSR 250</b>	<a href="#">homepage</a>



<b>JSR 305</b>	<a href="#">homepage</a>
<b>JSR 330</b>	<a href="#">homepage</a>
<b>jszip</b>	<a href="#">homepage</a>
<b>Khronos header files</b>	<a href="#">homepage</a>
<b>khronos_platform</b>	<a href="#">homepage</a>
<b>Kotlin Android Extensions Runtime</b>	<a href="#">homepage</a>
<b>Kotlin Stdlib Jdk7</b>	<a href="#">homepage</a>
<b>Kotlin Stdlib Jdk8</b>	<a href="#">homepage</a>
<b>kotlinx-coroutines-android</b>	<a href="#">homepage</a>
<b>kotlinx-coroutines-core</b>	<a href="#">homepage</a>
<b>kotlinx-coroutines-guava</b>	<a href="#">homepage</a>
<b>Leanback</b>	<a href="#">homepage</a>
<b>Leanback Grid</b>	<a href="#">homepage</a>
<b>Leanback Preference</b>	<a href="#">homepage</a>
<b>Lens Protos</b>	<a href="#">homepage</a>
<b>LevelDB: A Fast Persistent Key-Value Store</b>	<a href="#">homepage</a>
<b>libaddressinput</b>	<a href="#">homepage</a>

<b>libavif - Library for encoding and decoding .avif files</b>	<a href="#">homepage</a>
<b>libavif - Library for extracting metadata from .avif files</b>	<a href="#">homepage</a>
<b>libbrotli</b>	<a href="#">homepage</a>
<b>libcxx</b>	<a href="#">homepage</a>
<b>libcxxabi</b>	<a href="#">homepage</a>
<b>libei</b>	<a href="#">homepage</a>
<b>libevent</b>	<a href="#">homepage</a>
<b>libgav1</b>	<a href="#">homepage</a>
<b>libipp</b>	<a href="#">homepage</a>
<b>libjingle XMPP and xmllite libraries</b>	<a href="#">homepage</a>
<b>libjpeg-turbo</b>	<a href="#">homepage</a>
<b>libpng</b>	<a href="#">homepage</a>
<b>libprotobuf-mutator</b>	<a href="#">homepage</a>
<b>libsecret</b>	<a href="#">homepage</a>
<b>libsrtp</b>	<a href="#">homepage</a>
<b>libudev</b>	<a href="#">homepage</a>
<b>libunwind</b>	<a href="#">homepage</a>

<b>libunwindstack</b>	<a href="#">homepage</a>
<b>libusbx</b>	<a href="#">homepage</a>
<b>libutf</b>	<a href="#">homepage</a>
<b>libvpx</b>	<a href="#">homepage</a>
<b>libx11</b>	<a href="#">homepage</a>
<b>libxcb-keysyms</b>	<a href="#">homepage</a>
<b>libxml</b>	<a href="#">homepage</a>
<b>libxslt</b>	<a href="#">homepage</a>
<b>libyuv</b>	<a href="#">homepage</a>
<b>libzip</b>	<a href="#">homepage</a>
<b>Lifecycle Kotlin Extensions</b>	<a href="#">homepage</a>
<b>Lifecycle LiveData</b>	<a href="#">homepage</a>
<b>Lifecycle LiveData Core</b>	<a href="#">homepage</a>
<b>Lifecycle Process</b>	<a href="#">homepage</a>
<b>Lifecycle Runtime</b>	<a href="#">homepage</a>
<b>Lifecycle Runtime Compose</b>	<a href="#">homepage</a>
<b>Lifecycle Service</b>	<a href="#">homepage</a>

<b>Lifecycle ViewModel</b>	<a href="#">homepage</a>
<b>Lifecycle ViewModel Compose</b>	<a href="#">homepage</a>
<b>Lifecycle ViewModel Kotlin Extensions</b>	<a href="#">homepage</a>
<b>Lifecycle ViewModel with SavedState</b>	<a href="#">homepage</a>
<b>Lifecycle-Common</b>	<a href="#">homepage</a>
<b>Lifecycle-Common for Java 8</b>	<a href="#">homepage</a>
<b>Lighthouse</b>	<a href="#">homepage</a>
<b>Lighthouse i18n.js</b>	<a href="#">homepage</a>
<b>linux-syscall-support</b>	<a href="#">homepage</a>
<b>Lit</b>	<a href="#">homepage</a>
<b>Lit</b>	<a href="#">homepage</a>
<b>Lit</b>	<a href="#">homepage</a>
<b>litho</b>	<a href="#">homepage</a>
<b>LiveData Core Kotlin Extensions</b>	<a href="#">homepage</a>
<b>loader</b>	<a href="#">homepage</a>
<b>Lottie</b>	<a href="#">homepage</a>
<b>Lottie Web</b>	<a href="#">homepage</a>

<b>lottie_ios</b>	<a href="#">homepage</a>
<b>LZMA SDK</b>	<a href="#">homepage</a>
<b>Marked</b>	<a href="#">homepage</a>
<b>Material color utilities</b>	<a href="#">homepage</a>
<b>Material Components for Android</b>	<a href="#">homepage</a>
<b>Material Components for iOS</b>	<a href="#">homepage</a>
<b>Material Design Icons</b>	<a href="#">homepage</a>
<b>Material Font Disk Loader iOS</b>	<a href="#">homepage</a>
<b>Material Internationalization for iOS</b>	<a href="#">homepage</a>
<b>Material Roboto Font Loader iOS</b>	<a href="#">homepage</a>
<b>Material Sprited Animation View</b>	<a href="#">homepage</a>
<b>Material Text Accessibility iOS</b>	<a href="#">homepage</a>
<b>Material Web Components</b>	<a href="#">homepage</a>
<b>Media</b>	<a href="#">homepage</a>
<b>MediaController Android sample.</b>	<a href="#">homepage</a>
<b>MediaPipe</b>	<a href="#">homepage</a>
<b>Mediapipe Tasks Vision</b>	<a href="#">homepage</a>

<b>MediaRouter</b>	<a href="#">homepage</a>
<b>MediaStoreUtils Android sample.</b>	<a href="#">homepage</a>
<b>mesa_headers</b>	<a href="#">homepage</a>
<b>Metrics Protos</b>	<a href="#">homepage</a>
<b>minigbm</b>	<a href="#">homepage</a>
<b>mitt</b>	<a href="#">homepage</a>
<b>mitt</b>	<a href="#">homepage</a>
<b>modp base64 decoder</b>	<a href="#">homepage</a>
<b>Motion Animator for Objective-C</b>	<a href="#">homepage</a>
<b>Motion Interchange for Objective-C</b>	<a href="#">homepage</a>
<b>Motion Transitioning for Objective-C</b>	<a href="#">homepage</a>
<b>Mozilla Personal Security Manager</b>	<a href="#">homepage</a>
<b>Mozilla Windows Cert code</b>	<a href="#">homepage</a>
<b>Nano Protocol Buffers</b>	<a href="#">homepage</a>
<b>Nearby Connections Library</b>	<a href="#">homepage</a>
<b>Netscape Portable Runtime (NSPR)</b>	<a href="#">homepage</a>
<b>Network Security Services (NSS)</b>	<a href="#">homepage</a>

<b>newlib-extras</b>	<a href="#">homepage</a>
<b>NVidia Control X Extension Library</b>	<a href="#">homepage</a>
<b>oauth2client</b>	<a href="#">homepage</a>
<b>Oboe.js</b>	<a href="#">homepage</a>
<b>Okio</b>	<a href="#">homepage</a>
<b>Omnibox Protos</b>	<a href="#">homepage</a>
<b>One Euro Filter</b>	<a href="#">homepage</a>
<b>Open Screen Protocol Library</b>	<a href="#">homepage</a>
<b>OpenH264</b>	<a href="#">homepage</a>
<b>OpenXR SDK</b>	<a href="#">homepage</a>
<b>opus</b>	<a href="#">homepage</a>
<b>OTS (OpenType Sanitizer)</b>	<a href="#">homepage</a>
<b>pako</b>	<a href="#">homepage</a>
<b>pako - zlib port to javascript, very fast!</b>	<a href="#">homepage</a>
<b>Palette</b>	<a href="#">homepage</a>
<b>Parcelize Runtime</b>	<a href="#">homepage</a>
<b>parsel</b>	<a href="#">homepage</a>

<b>Paul Hsieh's SuperFastHash</b>	<a href="#">homepage</a>
<b>PDFium</b>	<a href="#">homepage</a>
<b>Perfetto</b>	<a href="#">homepage</a>
<b>PerfMark library</b>	<a href="#">homepage</a>
<b>perfmark:perfmark-api</b>	<a href="#">homepage</a>
<b>PFFFT: a pretty fast FFT.</b>	<a href="#">homepage</a>
<b>plasma-wayland-protocols</b>	<a href="#">homepage</a>
<b>play-services-auth</b>	<a href="#">homepage</a>
<b>play-services-auth-api-phone</b>	<a href="#">homepage</a>
<b>play-services-auth-base</b>	<a href="#">homepage</a>
<b>play-services-base</b>	<a href="#">homepage</a>
<b>play-services-basement</b>	<a href="#">homepage</a>
<b>play-services-cast</b>	<a href="#">homepage</a>
<b>play-services-cast-framework</b>	<a href="#">homepage</a>
<b>play-services-clearcut</b>	<a href="#">homepage</a>
<b>play-services-cloud-messaging</b>	<a href="#">homepage</a>
<b>play-services-flags</b>	<a href="#">homepage</a>



<b>play-services-gcm</b>	<a href="#">homepage</a>
<b>play-services-identity-credentials</b>	<a href="#">homepage</a>
<b>play-services-iid</b>	<a href="#">homepage</a>
<b>play-services-instantapps</b>	<a href="#">homepage</a>
<b>play-services-location</b>	<a href="#">homepage</a>
<b>play-services-phenotype</b>	<a href="#">homepage</a>
<b>play-services-stats</b>	<a href="#">homepage</a>
<b>play-services-tasks</b>	<a href="#">homepage</a>
<b>play-services-vision</b>	<a href="#">homepage</a>
<b>play-services-vision-common</b>	<a href="#">homepage</a>
<b>Polymer</b>	<a href="#">homepage</a>
<b>Polymer</b>	<a href="#">homepage</a>
<b>Polymer</b>	<a href="#">homepage</a>
<b>Portaudio library for mac</b>	<a href="#">homepage</a>
<b>pprof</b>	<a href="#">homepage</a>
<b>Preference</b>	<a href="#">homepage</a>
<b>Print</b>	<a href="#">homepage</a>

<b>Privacy Sandbox for Ad Services</b>	<a href="#">homepage</a>
<b>Private Join and Compute subset</b>	<a href="#">homepage</a>
<b>Profile Installer</b>	<a href="#">homepage</a>
<b>Protected Content Interface for libva</b>	<a href="#">homepage</a>
<b>Protocol Buffers</b>	<a href="#">homepage</a>
<b>Protocol Buffers</b>	<a href="#">homepage</a>
<b>Protocol Buffers</b>	<a href="#">homepage</a>
<b>Protocol Buffers (javascript)</b>	<a href="#">homepage</a>
<b>Protocol Buffers [Lite]</b>	<a href="#">homepage</a>
<b>PSM (Private Set Membership) client side</b>	<a href="#">homepage</a>
<b>pthreadpool</b>	<a href="#">homepage</a>
<b>Puffin deterministic deflate recompressor</b>	<a href="#">homepage</a>
<b>Puppeteer Core</b>	<a href="#">homepage</a>
<b>pyasn1</b>	<a href="#">homepage</a>
<b>pyfakefs</b>	<a href="#">homepage</a>
<b>pyparsing</b>	<a href="#">homepage</a>
<b>python-gflags</b>	<a href="#">homepage</a>

<b>QUICHE</b>	<a href="#">homepage</a>
<b>Quick Color Management System</b>	<a href="#">homepage</a>
<b>rapidhash</b>	<a href="#">homepage</a>
<b>RE2</b>	<a href="#">homepage</a>
<b>re2 - an efficient, principled regular expression library</b>	<a href="#">homepage</a>
<b>reactivestreams</b>	<a href="#">homepage</a>
<b>Recurrent neural network for audio noise reduction</b>	<a href="#">homepage</a>
<b>RecyclerView</b>	<a href="#">homepage</a>
<b>Redux</b>	<a href="#">homepage</a>
<b>ReLinker</b>	<a href="#">homepage</a>
<b>Remote Callback</b>	<a href="#">homepage</a>
<b>requests_toolbelt</b>	<a href="#">homepage</a>
<b>Resource Inspection - Annotations</b>	<a href="#">homepage</a>
<b>rjsmin</b>	<a href="#">homepage</a>
<b>Room Guava</b>	<a href="#">homepage</a>
<b>Room-Common</b>	<a href="#">homepage</a>
<b>Room-Runtime</b>	<a href="#">homepage</a>

<b>rxandroid2</b>	<a href="#">homepage</a>
<b>rxjava2</b>	<a href="#">homepage</a>
<b>rxjs</b>	<a href="#">homepage</a>
<b>SafeParcelable library</b>	<a href="#">homepage</a>
<b>Saved State</b>	<a href="#">homepage</a>
<b>SavedState Kotlin Extensions</b>	<a href="#">homepage</a>
<b>Secure Message</b>	<a href="#">homepage</a>
<b>Selenium Atoms</b>	<a href="#">homepage</a>
<b>Sentencepiece</b>	<a href="#">homepage</a>
<b>Simple Homomorphic Encryption Library with Lattices</b>	<a href="#">homepage</a>
<b>simplejson</b>	<a href="#">homepage</a>
<b>six</b>	<a href="#">homepage</a>
<b>Sizzle</b>	<a href="#">homepage</a>
<b>Skia</b>	<a href="#">homepage</a>
<b>Slice Builders</b>	<a href="#">homepage</a>
<b>Slice Core</b>	<a href="#">homepage</a>
<b>Slice Views</b>	<a href="#">homepage</a>

<b>Sliding Pane Layout</b>	<a href="#">homepage</a>
<b>SMHasher</b>	<a href="#">homepage</a>
<b>Snappy: A fast compressor/decompressor</b>	<a href="#">homepage</a>
<b>Speech Dispatcher</b>	<a href="#">homepage</a>
<b>Speech Rule Engine</b>	<a href="#">homepage</a>
<b>SPIR-V Headers</b>	<a href="#">homepage</a>
<b>SPIR-V Tools</b>	<a href="#">homepage</a>
<b>SPIRV-Headers</b>	<a href="#">homepage</a>
<b>SPIRV-Tools</b>	<a href="#">homepage</a>
<b>sql sqrt floor</b>	<a href="#">homepage</a>
<b>SQLite</b>	<a href="#">homepage</a>
<b>sqlite</b>	<a href="#">homepage</a>
<b>SQLite Framework Integration</b>	<a href="#">homepage</a>
<b>Startup Runtime</b>	<a href="#">homepage</a>
<b>SwiftShader</b>	<a href="#">homepage</a>
<b>Swipe Refresh Layout</b>	<a href="#">homepage</a>
<b>Tamachiyomi</b>	<a href="#">homepage</a>

<b>TCMalloc</b>	<a href="#">homepage</a>
<b>TensorFlow Lite</b>	<a href="#">homepage</a>
<b>TensorFlow Lite Support</b>	<a href="#">homepage</a>
<b>TensorFlow Models</b>	<a href="#">homepage</a>
<b>TensorFlow Text</b>	<a href="#">homepage</a>
<b>Text Fragments Polyfill</b>	<a href="#">homepage</a>
<b>text_layout_builder</b>	<a href="#">homepage</a>
<b>The Chromium Project</b>	<a href="#">homepage</a>
<b>The Diff Match and Patch libraries offer robust algorithms to perform the operations required for synchronizing plain text.</b>	<a href="#">homepage</a>
<b>The Incremental Distributed Point Functions library</b>	<a href="#">homepage</a>
<b>The ruy matrix multiplication library</b>	<a href="#">homepage</a>
<b>The USB ID Repository</b>	<a href="#">homepage</a>
<b>Tink</b>	<a href="#">homepage</a>
<b>Tiny CBOR</b>	<a href="#">homepage</a>
<b>Tracing</b>	<a href="#">homepage</a>
<b>Transition</b>	<a href="#">homepage</a>
<b>transport-api</b>	<a href="#">homepage</a>

<b>TV Provider</b>	<a href="#">homepage</a>
<b>typ</b>	<a href="#">homepage</a>
<b>tz database</b>	<a href="#">homepage</a>
<b>UKey2</b>	<a href="#">homepage</a>
<b>Unicode Common Locale Data Repository</b>	<a href="#">homepage</a>
<b>UnRAR source for decompressing .RAR and other files.</b>	<a href="#">homepage</a>
<b>URI Template Parser</b>	<a href="#">homepage</a>
<b>URL Pattern Library</b>	<a href="#">homepage</a>
<b>url_parse</b>	<a href="#">homepage</a>
<b>urlpattern-polyfill</b>	<a href="#">homepage</a>
<b>UTF</b>	<a href="#">homepage</a>
<b>utf8_range</b>	<a href="#">homepage</a>
<b>v4l-utils</b>	<a href="#">homepage</a>
<b>V8 fork of fdlibm</b>	<a href="#">homepage</a>
<b>V8 JavaScript Engine</b>	<a href="#">homepage</a>
<b>VectorDrawable</b>	<a href="#">homepage</a>
<b>VersionedParcelable</b>	<a href="#">homepage</a>

<b>VersionedParcelable and friends</b>	<a href="#">homepage</a>
<b>ViewPager</b>	<a href="#">homepage</a>
<b>ViewPager2</b>	<a href="#">homepage</a>
<b>Volk Meta loader for Vulkan API</b>	<a href="#">homepage</a>
<b>Vulkan API headers</b>	<a href="#">homepage</a>
<b>Vulkan Deps</b>	<a href="#">homepage</a>
<b>Vulkan Loader Components</b>	<a href="#">homepage</a>
<b>VulkanMemoryAllocator</b>	<a href="#">homepage</a>
<b>Wasmparser</b>	<a href="#">homepage</a>
<b>wayland</b>	<a href="#">homepage</a>
<b>wayland-protocols</b>	<a href="#">homepage</a>
<b>Web Vitals</b>	<a href="#">homepage</a>
<b>webapp2</b>	<a href="#">homepage</a>
<b>WebKit</b>	<a href="#">homepage</a>
<b>WebKit</b>	<a href="#">homepage</a>
<b>WebM container parser and writer.</b>	<a href="#">homepage</a>
<b>WebP image encoder/decoder</b>	<a href="#">homepage</a>



<b>WebRTC</b>	<a href="#">homepage</a>
<b>Wicked Good XPath</b>	<a href="#">homepage</a>
<b>WindowManager Extensions</b>	<a href="#">homepage</a>
<b>WindowManager Java</b>	<a href="#">homepage</a>
<b>WindowManager Sidecar</b>	<a href="#">homepage</a>
<b>Windows Template Library (WTL)</b>	<a href="#">homepage</a>
<b>woff2</b>	<a href="#">homepage</a>
<b>Wuffs (Wrangling Untrusted File Formats Safely)</b>	<a href="#">homepage</a>
<b>x11proto</b>	<a href="#">homepage</a>
<b>xdg-user-dirs</b>	<a href="#">homepage</a>
<b>xdg-utils</b>	<a href="#">homepage</a>
<b>XNNPACK</b>	<a href="#">homepage</a>
<b>xnu</b>	<a href="#">homepage</a>
<b>xxHash</b>	<a href="#">homepage</a>
<b>XZ Utils</b>	<a href="#">homepage</a>
<b>yoga</b>	<a href="#">homepage</a>
<b>zlib</b>	<a href="#">homepage</a>

**zlib**

[homepage](#)

**zod**

[homepage](#)

**Zstandard**

[homepage](#)